



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1273

RLY	CR	COACH NO	211305/C	DATE OF DISPATCH	16-Mar-21
Type	LWACCN	Shell No.	20C123	DISPATCH TO	Sr.DME/C&W/LTT
				FUR.NO.	L3T-1564

1. Railway Board's Order No.	2020/M(C)142/2, DATE-29.01.2021
2. Tare Weight of Coach	45.6 Tonnes
3. Carrying Capacity	(a) Seating: 72 (b) Sleeping: 72 (c) Luggage: NIL
4. Special feature:	
A- Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.)	letter no MC/LHB/Brake, DT. 27.09.18
B- Venturi arrangement in lavatory -M/S-CMT MECHANISED VADODARA	
5. SHELL LEADING DIMENSIONS:	

S NO	DESCRIPTION	DIMENSION (MM)
1	Maximum length over body	23700
2	Maximum width over body	3240
3	Maximum height from Rail Level	4250
4	CBC height/Buffer height from Rail level 1105 +0/-10	NPP/PP 1099/1099

6. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1	Under frame	Front Part	PP END M/S-OMAX AUTO
		NPP END	M/S-OMAX AUTO
	Complete	MCF/RBL-V4U TECHIE	20C123
2	Lav. side wall	M/S-MM DHARWAD	LAV.1
		M/S-MM DHARWAD	LAV.3
3	Side wall	LH SIDE	M/S-ECBT
		RH SIDE	M/S-ECBT
4	End wall	PP END	M/S-DTL
		NPP END	M/S-DTL
5	Roof	M/S-ECBT	218
6	Centre Buffer Coupler	M/S-FRONTIER	NPP/PP 143P1/76P1

7. AIR BRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm ² .	6 – 10 sec.	08 sec.
		Max. pressure in BC	3.0 ±0.15 kg/cm ² .	3.0 kg/cm ²
		All Brake are applied	OK	OK
2	Insensitivity	Exhaust BP @ 0.3 kg/cm ² /min.	No brake application	OK
3	Sensitivity	Exhaust BP @ 0.1 kg/cm ² /Sec, after 06 Sec.	Brake must apply	OK

8. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR (SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1	Paint	P.U	VIBGYOR	M/S-VIBGYOR WOW (S&A)	74/96	13-Mar-21
2	Insulation			Satisfactory		

SSE/QC/MCF/RBL

वरिष्ठ अनुष्ठानिक अभियंता
गुणवत्ता विभाग
रेल डिब्बा कारखाना, रायबरेली (लालगंज)



MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/-1273

RLY	C	R	-	Coach No.	2	1	1	3	0	5	/	C	-	DATE OF DISPATCH	1	6	0	3	2	0	2	1
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	Sr.DME/C&W/LTT	Type	L	W	A	C	C	N	Shell No.	2	0	C	1	2	3	FUR .NO	L3T-1564
----------	----------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	---------	----------

9. DETAIL OF BOGIES:-

ITEMS	NPP Side				PP Side			
Bogie No	202749				202750			
Bogie Type	FIAT				FIAT			
Frame no.	SIMPLEX - 183				SIMPLEX - 186			
Bolster no.	APEX-380				APEX-359			
Axle No	2 1 C - 4012 RWF		21 C- 3612 RWF		21C - 3874 RWF		8582 RWF	
Wheel Dia	917.531	917.487	917.569	917.537	917.40	917.50	917.56	917.533
Wheel Disc No	TZ 07-20 44568-OPR2	TZ 07-20 23659-OPP9	TZ 09-20 30954-OTD6	TZ 09-20 28397-OSF4	TZ 06-20 18313-OPP5	TZ 07-20 43992-OPM3	TZ 07-20 44525-ORE1	TZ 07-20 44523- OPR1
R.B. Nos.	06-20 411500	06-20 411736	06-20 411713	07-20 416720	06-20 410653	07-20 416391	06-20 504649	06-20 415435
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side				Bogie PP side			
	Secondary 1		Secondary 2		Secondary 1		Secondary 2	
	Outer	Inner	Outer	Inner	Outer	Inner	Outer	Inner
Make & Nos.	CMAFJ12-19- 8836-34	CMFSK01-19- 9513-099-500	CMAFJ12-19- 8836-46	CMFSK 01-19- 9513- 099-487	CMAFJ12-19 8836-34	CMFAK01-19- 9513-099-483	CMAFJ12-19- 8836-39	CMFSK01-19 9513- 099-498
Compressed Ht. at Tested Load	512	466	514	468	515	466	515	468
Alignment deviation (mm)	6	6	6	8	5	13	5	12

11. TRACEABILITY OF BOGIE ITEMS:-

S. NO	ITEM	MAKE/ SUPPLIER	510SERIAL NO.	
			NPP SIDE20	PP SIDE
1.	Yaw Damper	ESCORT	6307,6792,	6583,6368
2.	Primary outer Spring	CMFSK	11-19 7411-059-(597,663,551,481)	11-19 7411-059-(450,411,448,630)
3.	Primary Inner Spring	CMFSK	06-20-F04-185-(651,738,1043,1228)	11-19 7411-093-(666,1378,684,1367)
4.	Primary Damper	IAI	01-20(300479,298571,309592,298407)	01-20(309815,299050,309420,297560)
5.	Secondary Damper	KONI	04-19 (06587,06559)	04-19 (06739,06607)
6.	Lateral Damper	KONI	03-19 01315	03-19 00359
7.	Brake Cylinder	FAV	A21-(116,182,127)B21-038	A21-(124,062,080,132)
8.	Brake Caliper	FAV	B21(362,359,380,381)	B21(382,379,172,174)
9.	Brake Disc	AVADH	09-18(50201171,49201042,50201151,50201153)	09-18(48200907,48200889,48200891,48200890)
10.	Ball Joint Control Arm	BONY		
11.	Lateral Bump Stop	GMT		
12.	Traction Centre make	RNG		
13.	Traction lever make	TAJ		
14.	Ball joint traction lever	GMT		
15.	Ball joint traction centre	PRAG		
16.	Secondary Rubber Pad	TECSPAK		
17.	Rubber Spring	BONY		
18.	Anti roll bar Make	RF		
19.	Roll Link make	RF+GMT RF/PRAG		
20.	Fork make	RNG		
21.	Control Arm Upper	SF(SARITA)	H-(290,13,36,79)	H-(228,83,14,63)
22.	Control Arm Lower	SF(SARITA)	H-(55,64,15,15)	H-(250,65,135,78)
23.	Phonic Wheel	FAV	FT/KEP-600	FT/KEP-600

Signature of SSE/Bogie/QC



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO: 01

DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/1273

RLY	CR	COACH NO	211305/C	DATE OF DISPATCH	16-Mar-21
Type	LWACCN	Shell No.	20C123	DISPATCH TO	Sr.DME/C&W/LTT
				FUR.NO.	L3T-1564

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/S-FAIVELEY	B21053B
2	Distribution valve	M/S-FAIVELEY	B215560B
3	Pull box	M/S-FAIVELEY	
4	FIBA	NIL	
5	Foot Step	M/S-FABRICON KOLKATA	
6	Decoupling arrangement	M/S-PULSAR RUBBER KOLKATA	
7	Floor board	M/S-TWPL MUMBAI	
8	PVC	M/S-CMT MECHNAISED VADODARA	
9	UIC Vestibule (PPE)	M/S-SUNCREST KOLKATA	
10	UIC Vestibule (NPPE)	M/S-SUNCREST KOLKATA	
11	Gangway bridge mounting (PPE)	M/S-MMW KXH	
12	Gangway bridge mounting (NPPE)	M/S-MMW KXH	
13	Body Side Window	M/S-CMT MECHNAISED VADODARA	
14	Emergency Window	M/S-CMT MECHNAISED VADODARA	
15	Lavatory/hopper Window	M/S-CMT MECHNAISED VADODARA	
16	Roof Ceiling	M/S-CMT MECHNAISED VADODARA	
17	Door way /gang way ceiling	M/S-P.D.STEEL	
18	Supply Air Duct	M/S-HANSPAL KXH	
19	Side Wall panel	M/S-CMT MECHNAISED VADODARA	
20	Partition panel	M/S-CMT MECHNAISED VADODARA	
21	Partition pillar	M/S-CMT MECHNAISED VADODARA	
22	AC Trough	M/S-MSL MOHALI	
23	Body Side Doors	M/S-CMT MECHNAISED VADODARA	
24	Compartment Door (PPE)	M/S-POOJA SALES	
25	Compartment Door (NPPE)	M/S-POOJA SALES	
26	Vestibule Door(PPE)	M/s-KALSI LDH	
27	Vestibule Door(NPPE)	M/s-KALSI LDH	
28	RMPU	M/S-INTEC DEHRADUN	
29	Bio Tank	M/S-RASANDIK ENGG-02 NOS+JSL LIFE-02 NOS	
30	Pressurized flushing (ele. Pneu.)	M/S-OASIS	
31	Auxiliary Water Tank	M/S-SHIVALIK FAST MOHALI	
32	Under Slung Water Tank (2X685L)	M/S-SHIVALIK FAST MOHALI	
33	Under Slung Water Tank (1x450 L)	M/S-AMIT ENGG.BADDI	
34	Health Faucet	M/S-HFGW VADODARA	
35	Lotah Filler Tap	M/S-HFGW VADODARA	
36	Bib cock	M/S-JAQUAR ALWAR	
37	Lavatory Modules	M/S-CMT MECHNAISED VADODARA	
38	Lavatory Doors	M/S-CMT MECHNAISED VADODARA	
39	Fire Extinguisher	M/S-SHAAN INDS	127/350
40	Automatic smoke & heat Detection with alarm System	NIL	
41	Seat & Berth	M/S-CMT MECHNAISED VADODARA	
42	Light Luggage Rack	M/S-CMT MECHNAISED VADODARA	
43	Snack Table	M/S-CMT MECHNAISED VADODARA	
44	Venturi grill	M/S-CMT MECHNAISED VADODARA	
45	RFID	NIL	


वरिष्ठ निरीक्षक
गुणवत्ता विभाग
रेडिंक ०, रायबरेली (लालगंज)



Vibgyor Paints & Chemicals Pondicherry

Office : Sri Balaji Apartments, 87/47, Harrington Road,
Shenoy Nagar, Chennai - 600 030.
Web : www.vibgyorpaintspondicherry.com

ISO : 9001 : 2015
ISO : 14001 : 2015
Certified Company

WARRANTY CERTIFICATE

To,

DY.CME/FUR/PAINT
MODERN COACH FACTORY
RAEBARELI, LALGANJ- 229120

Date:- 15/03/2021

SUBJECT: -PERFORMANCE WARRANTY CERTIFICATE
REF: PO NO: 31061800101633 dated 01.10.2019

NAME OF WORK: SUPPLY AND APPLY OF PU BASED WET ON WET APPLICABLE EXTERIOR PAINTING SYSTEM FOR LHB COACHES AS PER SCOPE OF WORK AND MMDTS-18034 REV-02 WITH AMENDMENT NO MP/RBL/BB DT 28/05/2019 (EPOXY ELASTIFIED PAINT INSIDE THE COACH NOT TO BE CARRIED OUT PAINTING CYCLE TIME WILL BE 30 HRS AS MENTION IN MMDTS-18034 REV-02)

Dear Sir,

With reference to above, we do here by confirm the warranty for six years from the date of application of the delivered below mention coaches vide your above referred purchase order after application & date inspection at your end.

SL.NO	SHELL NO	FURNISHING NO	COACH NO	RAILWAY NO	DATE OF COMPLETION
84	LWACCN 20C123	LBT 1564	211305	CR	11/10/2020 13/03/2021

The warranty is applicable from date of despatch against the below mention defects as per RDSO Specification no. MMDTS 18034 REV-02

Gloss should be above 70 at 60 degree during the initial period and entire life of 6 years

Decolourization of paint film.
Cracking of paint film
Peeling of paint film
Blistering of the paint film



Thanking You
For Vibgyor paints & chemicals Pondicherry



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना,
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 1 OF 5

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB EOG 3T COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG 3T COACH.					
TYPE COACH		LWACCN		SHELL/COACH NO	
RAILWAY		CR		ELECT. FIT DATE	
				15-03-2021	
				MCF FUR. NO.	
				3T-1564	
Sr. no.	Description of tests				Remarks
1.0	REFERENCE SPECIFICATION : L 446				
1.1	AIR CONDITIONING TEST : ELPS/TP/AC 01.				
2.0	INSULATION RESISTANCE : Setting of insulation monitoring relay at 30K ohms as per TD 111 of M/s LHB.				
	Observed status : HEALTHY				
3.0	AIR DELIVERY MEASUREMENT			OBSERVED VALUE	OK
3.1	Fresh Air			29.70 Cub mtr/min	OK
3.2	Return Air			64.22 Cub mtr/min	OK
3.3	Exhaust Air			7.04 Cub mtr/min	OK
3.4	Conditioned Air			168.12 Cub mtr/min	OK
4.0	PRE COOLING TEST: Max 01 hr. Time taken to pre cool from 45 deg centigrade to 24/22 deg C during OFF LOAD condition Not done due to Ambient temp. below 22°C				OK
5.0	PULL DOWN TEST: Max 02 hrs. Time taken to pull down from 45 deg C to 24/22 deg C during FULL LOAD condition. NOT DONE.				----

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना,
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 2 OF 5

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB EOG 3T COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG 3T COACH.		
Sr. no.	Description of test	Remarks
6.0	HUMIDITY CONTROL	OK
7.0	PUMP EQUIPMENTS	OK
8.0	WORKING OF EXHAUST FANS OVER LAVATORIES	OK
9.0	WORKING OF BERTH READING LIGHTS	OK
10.0	WORKING OF COMPARTMENT LIGHTS	OK
11.0	WORKING OF MOBILE CHARGING SOCKETS	OK
12.0	WORKING OF PUBLIC ADDRESSING SYSTEM (PAS)	OK
13.0	WORKING OF WHEEL SLIDE PROTECTION SYSTEM (WSP)	OK
14.0	WORKING OF 60KVA TRANSFORMER	OK
15.0	WORKING OF 5 KVA TRANSFORMER	OK
16.0	WORKING OF REGULATED BATTERY CHARGER	OK
17.0	WORKING OF EMERGENCY BATTERY CHARGER	OK
18.0	WORKING OF COMPOSITE PANTRY(ONLY FOR RAJDHANI COACH)	N/A
19.0	SAFETY :	---
19.1	OHP :	OK
19.1	ROTARY 07 SET POINTS (NORMAL CONDITION)	OK
19.2	LP/HP GAUGE	OK
19.3	HYGROSTAT	OK
19.4	CONTROL CIRCUIT	OK
19.5	POWER CIRCUIT	OK
20.0	REFRIGERANT USED R 407C	OK

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना,
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 3 OF 5

ROLLING STOCK CERTIFICATE OF LHB EOG 3T COACH.

Sr. no.	Description	Drg/Spec no.	Quantity per Coach
01.	Roof Mounted AC package unit for LHB AC coaches Make : INTEC Sr no of RMPU 1(NPP side) : 20H 1974 Sr no of RMPU 2(PP side): 20J 2021 Sr no of Microprocessor. : 20073864-SIDWAL	As per RDSO/PE/SPES/AC/0061/REV-1/2005	01 Set
02.	Switch board cabinet Make : ISG Sr no : SBC-MCF-21-10-0280	As per spec no. RDSO/PE/SPEC/AC/0184-2015(REV.0) MEDTS-0004,Rev.-1 for Smart SBC	01 no.
03.	Pump equipment with PLC controller & pump box Make: KIND PA Sr.no: KIND/ASY/0095 Sr no.1: 19060389 Sr no.2 : 19060390 Sr.no.CPA: 20/03/091-HIND	As per spec EDTS 186,Rev-a, Am-2. As per Spec. EDTS186, & drg no. CC71328 & LW70020 for P/CNTR.	01 Set
04.	Double inlet centrifugal blower 415V/03Ph /50Hz /120W/450 cu.mtr/hr discharge for exhausting air from lavatory & switch board cabinet Make : INTEG	EDTS331, TYPE-1 CORR.-1&2	02 no.
05.	Provision of Passenger area LED Light(Cabin) Make: DR AUTO	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-L	09 no.
06.	Mounting of Passenger area light(Cabin/corridor)	As per drg no. LW 76090.	OK
07.	Provision of Cabin/Corridor Light with Night light. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-M	09 no.
08.	Mounting of Cabin/Corridor Light with Night light .	As per drg no. LW 76091.	OK
09.	Provision & mounting of Doorway/Gangway light. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-N & Drg no. LW 76099 -	07 no.
10.	Provision & Mounting of PACIL Assly. Make: AGASTYA	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-I Drg no. LW 76098.	02 no.
11.	Provision & Mounting of WC light. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-H1 Drg no. LW 76097. -	02 no.
12.	Provision & Mounting of Lavatory Light. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-D & Drg no. LW 76092. -	04 no.
13.	Provision of Emergency Lighting system Make: INTEG	As per RDSO/PE/Spec/AC/0180-2016(Rev-0),Type-2 or Latest.	04 no.
14.	Provision of razor socket for WC for 110/240V Make: N/A	. EDML047,ITEM-4	N/A

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना,
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 4 OF 5

ROLLING STOCK CERTIFICATE OF LHB EOG 3T COACH.

Sr. no.	Description	Drg/Spec no.	Quantity per Coach
15.	PA system for LHB coaches Make: AHUJA	EDTS 173,Rev- B,Cor-1.	01 Set
16.	Provision of terminal strip complete	EDML 034,Rev-C,DRG NO.LW76054	01 Set
17.	Diffuser complete w/o item 1& 2.	LW 76012,Alt-a	ok
18.	Provision of switch plate assembly complete with polycarbonate cover frame and powder coated steel plate & 2 no. ON_ OFF switches 6A,250 V AC and 1 no. 5-pin socket 6A,250V AC with 1.0 Amp glass fuse. Make : SALZER	As per spec EDML-064,REV-B,Am-1 alt 'c' Item-4 ,Drg. No. LW74202	09 no.
19.	Provision of switch plate assembly complete with polycarbonate cover frame and powder coated steel plate with 1 no. ON-OFF switches and 1 no. 5-pin socket 6A, 250 V AC 1 no. 1.0 Amp glass fuse. Make : SALZER	As per spec EDML-064,REV-B,Am-1 alt 'c' Item 16,Drg. No. LW74202	54 no.
20.	Provision of switch plate assembly complete with polycarbonate cover frame and powder coated steel plate with 3 no. ON-OFF switches and 1 no. 5-pin socket 6A, 250 V AC 1 no. 1.0 Amp glass. Make : SALZER	As per spec EDML-064,REV-B,Am-1 alt 'c' Item-5, Drg. No. LW74202	09 no.
21.	Provision & Mounting of reading light for upper berth Make : AGASTYA	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F2 & Drg no LW 76094	27 no.
22.	Provision & Mounting of reading light for transverse berth (RHS) Make: AGASTYA	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F3 & Drg no. LW 76095	18 no.
23.	Provision & Mounting of reading light for berth transverse (LHS) Make: DHINGRA	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F4 & Drg no. LW 76096	18 no.
24.	Provision & Mounting of reading light for berth Longitudinal. Make: DEVINTEC	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F1 & Drg no LW 76096	09 no.
25.	Provision of High Capacity Inter -Vehicular Coupler Unit (ZS Coupling) (500 A,750 V,3 ph,50 Hz). Make:- 1.(NPP): MAA LAXMI INDUSTRIES 2.(PP): MAA LAXMI INDUSTRIES	As per Spec. no. RDSO/PE/SPEC/AC/0177(R ev.-0)-2013 with annexure-A, B.	01 set
26.	70AH/110V, 54 Cells, 02V each, maintenance free pure lead acid tin monoblock, battery set with 09 modules 12V each. , factory pre charged. Make : HBL Lug date : 11/19	EDTS 129,Rev nil	01 set

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना,
रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 5 OF 5

ROLLING STOCK CERTIFICATE OF LHB EOG 3T COACH.

Sr. no.	Description	Drg/Spec no.	Quantity per Coach
27.	Provision of Cable Jacket, Size 75, 50, 20 mtr.	As per spec no. EDTS 0138, Item 5,8,11	ok
28.	Provision of cable binder.	As per Drg. No. cc76129, Item 2,4.	ok
29.	Battery box for LHB coaches. Make: HITECH	As per drgno 1 10113 0 76 700 005, Alt C	01 no.
30.	Battery fuse box +ve Make : INDORAIL	LW 71001, Alt-H	01 no.
31.	Battery fuse box -ve Make : AECO	LW 71002, Alt-I	01 no.
32.	Provision of Regulated Battery Charger Make: HITACHI Sr. no.: 18101652	As per spec no. RDSO/PE/SPEC/AC/0183-(REV.-0) . Or RDSO/PE/SPEC/AC/0183-2015(REV.-1)-For Under slung RBC cum EBC.	01 no.
33.	Emergency battery charger Make : BHASIN Sr.no.: 01207042	EDTS163, REV-C, COR-2&3	01 no
34.	Provision of 5 KVA TFR Make : VIMAL Sr no : VTC 3089 LHB 1615	As Per EDTS-366, REV-NIL & CC-71510	01 no.
35.	Provision of capacitor Bank Make: NEC SL.no.: 2020108100	As per EDML-130 Rev-1, Corr-1	01 no.
36.	60KVA transformer Make : VIMAL Sr no : VTC-R-3089-LHB-3861	As per spec no. RDSO/PE/SPEC/AC/0080-2007 (REV-1)	01 no.
37.	Feeder junction boxes. Make : LIGHT ENGG.	EDTS-328 REV-C	01 set
38.	Wheel set earthing equipment. Make : PRIME ELECT.	EDTS101, REV-C, AM-1	01 set
39.	Wheel Slide Protection System (WSP) Make : FAIVELEY Sr. no : 13126	As per MDTS 077, Rev.-2 M/s "FAIVELEY" or "Knorr Bremse", or "ESCORTS" or "JWL-DAKO-CZ"	01 set
40.	Provision of External supply Socket 125A/415V/IP67/5-Pole (3Ph+1N+1E) complete with pilot contacts. Make: MV	Cat no. 1948036/UIV4125-6 with RCF annexure-A - 02 nos	02
41.	PANTRY EQUIPMENTS(ONLY FOR RAJDHANI COACH). Hot Case, Bottle cooler cum deep freezer Make : N/A	As per spec no EDTS 139, Rev-E, Sec II.	N/A

S.S.E./Elect-QC	AWM(ELECT.)/MCF/RBL

वरिष्ठ विद्युत अभियन्ता
गुणवत्ता नियंत्रण
आ०रे०डि०का० / लालगंज / रायबरेली
S.S.E./Elect-QC/M.C.F./LLJ/RBL

सं. कार्य प्रवर्धन विद्युत
आ०रे०डि०का० / रायबरेली
A.W.M./Electrical/MCF/RBL

