	Modern Coach Factory Raebareli **आधुनिक रेल डिब्बा कारख़ाना, रायबरेली**	DOC NO.: MCF/RBL/QMF 8002 REV NO: 01 DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/140

RLY	C	R	-	Coach No.	1	9	3	5	3	2	/	C	DATE OF DISPATCH	0	7	-	0	5	-	1	9

DISPATCH TO	SSE/STOCK/ CSTM	Type	L	W	A	C	C	W	Shell No.	9	2	0	0	2	FUR.NO.	L2T-289

1. Railway Board's Order No. : **2019/M(C)/142/2, Dated- 30.04.2019**
2. Tare Weight of Coach : 44.5 Tonnes
3. Carrying Capacity : (a) Seating: 52 (b) Sleeping: 52 (c) Luggage: NIL

4. SHELL LEADING DIMENSIONS:

S NO	DESCRIPTION	DIMENSION (MM)
1.	Maximum length over body	23700
2.	Maximum width over body	3240
3.	Maximum height from Rail Level	4039
4.	CBC height/Buffer height from Rail level 1105 +0/-10	1) 1098 (NPPE) 2) 1105 (PPE)

5. TRACEABILITY OF SHELL ITEMS:

S NO	ITEM		MAKE/SUPPLIER		SERIAL NO				
1.	Under frame	Front Part	PP END	M/S- RAIL TECH, KXH	03				
			NPP END	M/S- RAIL TECH, KXH	03				
		Complete	M/S- RAIL TECH, KXH		03				
2.	Lav. side wall		M/S- RAIL TECH, KXH		LAV.1	-	LAV.2	-	
			M/S- RAIL TECH, KXH		LAV.3	-	LAV.4	-	
3.	Side wall	LH SIDE	MCF/RBL		63/01				
		RH SIDE	MCF/RBL		63/02				
4.	End wall	PP END	M/s- OMAX, REWARI		---				
		NPP END	M/s- OMAX, REWARI		---				
5.	Roof		M/S – DTL		40				
6.	Centre Buffer Coupler		M/S- SANROK ,FARIDABAD		PP END	12334	NPP END	12324	

6. AIRBRAKE TEST REPORT:

S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED
1.	Full brake application	➢ Reduce pressure of BP from 5.0 to 3.4 kg/cm². ➢ Max. pressure in BC ➢ All Brake are applied	6 – 10 sec. 3.0 ±0.15 kg/cm². OK	07 sec. 3.0 kg/cm² OK
2.	Insensitivity	➢ Exhaust BP @ 0.3 kg/cm²/min.	No brake application	OK
3.	Sensitivity	➢ Exhaust BP @ 0.1 kg/cm²/Sec, after 06 Sec.	Brake must apply	OK

7. PAINTING DETAILS:

S NO	DESCRIPTION	TYPE OF PAINT	MAKE	APPLICATION BY MCF/ CONTRACTOR(SUPPLY & APPLY)	AVERAGE GLOSS VALUE	DATE OF COMPLETION
1.	Paint	P.U	M/S –VIBGYOR	M/s-GSI	89/88	17.04.19
2.	Insulation	Satisfactory				

SSE/QC/MCF/RBL

वरि0अनु0 अभियंता
कार्य0का0, रायबरेली (आलमगंज)

MCF/RBL

	MODERN COACH FACTORY, RAEBARELI आधुनिक रेल डिब्बा कारखाना, रायबरेली	DOC NO.: MCF/RBL/QMF 8002 REV NO.: 01 DATE: 16.05.2016

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/**2019-20/140**

RLY	C	R	-	Coach No.	1	9	3	5	3	2	/	C	-	DATE OF DISPATCH	0	7	0	5	2	0	1	9

DISPATCH	SSE/STOCK/CSTM	Type	L	W	A	C	C	W	Shell No.	9	2	0	0	2	FUR .NO	L2T-289

8. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No	190147				190148			
Bogie Type	FIAT				FIAT			
Frame no.	WIL-171 (AIR SPIRING)				WIL-159 (AIR SPIRING)			
Bolster no.	AMIT - 3				AMIT -309			
Axle No	19 L – 8897 RWF		18 H - 5884 RWF		18 H– 7028 RWF		18 J- 1819 RWF	
Wheel Dia	917.684	917.698	917.5	917.5	917.713	917.701	917.673	917.683
Wheel Disc No	TZ 11-18 09892-8WT1	TZ 11-18 04961-8WJ5	TZ 11-18 06902-8WV0	TZ 10-18 01558-8WK6	TZ 12-18 16379-8WQ1	TZ 11-18 06604-8WM0	TZ 11-17 08443-8WM6	TZ 11-17 07622-8WR1
R.B. Nos.	05-18 40669	04-18 25081	05-18 29597	05-18 39614	05-18 39584	05-18 27504	05-18 39815	05-18 37258
CT R B Make	SKF		SKF		SKF		SKF	

9. SECONDARY SUSPENSION LOAD DEFLECTION VALUES : -

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	AVADH RAIL INFRA LTD Sr.NO.10-18 673	AVADH RAIL INFRA LTD Sr.NO.10-18 880	AVADH RAIL INFRA LTD Sr.NO.10-18 674	AVADH RAIL INFRA LTD Sr.NO.10-18 656

10. TRACEABILITY OF BOGIE ITEMS :-

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	KNORR	17154,17152	17172,17151
2.	Primary outer Spring	CMFSK	03-19 7411-545(702,738,919,1045)	03-19 7411-545(796,709,719,1155)
3.	Primary Inner Spring	CMGBD	03-19 143-07(122,90,62,200)	03-19 143-07(58,54,54,45)
4.	Primary Damper	IAI	01-19 (236789,236891,230250,236208)	01-19 (237020,236831,236419,236232)
5.	Secondary Damper	KNORR	12-18 (13731,13644)	12-18 (13784,13565)
6.	Lateral Damper	GEREP	KW16-18 301550559	KW16-18 301550559
7.	Brake Cylinder	FAV	(A19-487,C19-133,B19-675,C19-142)	(H19-694,C19-138,B19-710,C19-124)
8.	Brake Caliper	FAV	C19(765,767,715,713)B	C19(685,687,768,766)B
9.	Brake Disc	FAV	01-19 (71,72,289,290)D-133561-300-1	01-19 (292,291,549,556)D-133561-300-1
10.	Ball Joint Control Arm	AR		
11.	Lateral Bump Stop	AR		
12.	Traction Centre make	SARITA		
13.	Traction lever make	JI		
14.	Ball joint traction lever	MGN		
15.	Ball joint traction centre	AR		
16.	Leveling Valve	ESCORT	**1812,1812**	**1812,1812**
17.	Check Valve	ESCORT	**1812**	**1812**
18.	Anti roll bar Make	EMSON		
19.	Roll Link make	SARITA/PPI/ SARITA/AR		
20.	Fork make	EMSON		
21.	Control Arm Upper	RVE	180119-3,210119-2,120119-2,190119-3	210119-2,180119-3,210119-2,210119-3
22.	Control Arm Lower	RVE	160119-2,160119-3,160119-3,250119-2	160119-2,160119-3,170119-2,250119-3
23.	Phonic Wheel	FAV	FT/KEP/1548	FT/KEP/1548

Signature of SSE/Bogie/QC

Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारख़ाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/140

RLY	C	R	-	Coach No.	1	9	3	5	3	2	/	C	DATE OF DISPATCH	0	7	-	0	5	-	1	9

DISPATCH TO	SSE/STOCK/ CSTM	Type	L	W	A	C	C	W	Shell No.	9	2	0	0	2	FUR.NO.	L2T-289

11.TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO
1.	Air Brake Module	M/S- FAIVELY TRANSPORT TECH.INDIA LTD BADDI(HP)	C 19176 B
2.	Distribution valve	M/S- FAIVELY TRANSPORT TECH.INDIA LTD BADDI(HP)	19025683 B
3.	Pull box	M/S- FAIVELY TRANSPORT TECH.INDIA LTD BADDI(HP)	
4.	FIBA	M/S- KBI, FARIDABAD	PP/NPP-5057/4829
5.	Foot Step	M/s- SUPER SPARKS PVT. LTD. FARIDABAD	
6.	D-coupling arrangement	M/S- KOHINOOR KR, MUMBAI	
7.	Floor board	M/s- TWPL MUMBAI	
8.	PVC	M/S RESPONSIVE IND.MUMBAI	
9.	UIC Vestibule (PPE)	M/S-KIRAN RUBBER PRODUCT,PUNE	
10.	UIC Vestibule (NPPE)	M/S-KIRAN RUBBER PRODUCT,PUNE	
11.	Gangway bridge mounting (PPE)	M/S- MAHAVEER MATEL WORKS, KAPURTHALA	
12.	Gangway bridge mounting (NPPE)	M/S- MAHAVEER MATEL WORKS, KAPURTHALA	
13.	Body Side Window	M/s- BIRKON ENGG.GZB	
14.	Emergency Window	M/s- BIRKON ENGG.GZB	
15.	Hopper Window	M/S- TECH FAB KXH	
16.	Roof Ceiling	M/s-EASTERN ENG KOLKATA	
17.	Door way /gang way ceiling	M/S- J.R.INDS.LTD JUC.	
18.	Supply Air Duct	M/s- GANDHI SAFE & ALLIED INDUS. JALANDHAR	
19.	Partition panel	M/S- UNIVERSAL METAL TEK, NOIDA	
20.	Partition pillar	M/S-RAIL FAB KXH	
21.	Side Wall panel	M/s- ANKUR FIBER KXH	
22.	AC Trough	M/s- MOBILITY SOLUTION (MSL)MOHALI	
23.	Body Side Doors	M/S- JVR INDS LDH	
24.	Compartment Door (PPE)	M/S- KALSI FAB PVT LTD LDH	
25.	Compartment Door (NPPE)	M/S- KALSI FAB PVT LTD LDH	
26.	Vestibule Door(PPE)	M/S- JBM INDUSTRIES, FARIDABAD	
27.	Vestibule Door(NPPE)	M/S- JBM INDUSTRIES, FARIDABAD	
28.	Bio Tank	M/s- FLASH FORGE (P)LTD. VIZAG	
29.	Auxiliary Water Tank	M/s- MANOJ ENT. MOHALI	
30.	Under Slung Water Tank (2X685L)	M/S-RAIL FAB KXH	
31.	Under Slung Water Tank (1x450 L)	M/s- AMIT ENG. BADDI	
32.	Flexible Faucet	M/s- HINDUSTAN FIBER GLASS, VADODRA (GUJARAT)	
33.	Lotah Filler Tap	M/s- HINDUSTAN FIBER GLASS, VADODRA (GUJARAT)	
34.	Bib cock	M/s- JAQUAR PVT.LTD. ALWAR	
35.	Lavatory Modules	M/s- HINDUSTAN FIBER GLASS, VADODRA (GUJARAT)	
36.	Lavatory Doors	M/s- HINDUSTAN FIBER GLASS, VADODRA (GUJARAT)	
37.	Fire Extinguisher	M/S-CAPITAL FIRE COM.	PP-6721,NPP-06990
38.	Seat & Berth	M/s- NARBADA FOREST IND. PVT. LTD. BHOPAL	
39.	Light Luggage Rack	M/S- TECHNO INDUSTRIES, ALLAHABAD	
40.	Snack Table	M/s- DLJM, NOIDA	

वरि0अनु0 अभियंता
SSE/QC/MCF/RBL
गुणवत्ता विभाग
रे0डि0का0, रायबरेली (भारत)

MCF/RBL

Modern Coach Factory Raebareli **आधुनिक रेल डिब्बा कारख़ाना, रायबरेली**	DOC NO.: MCF/RBL/QMF 8002 REV NO: 01 DATE: 17.04.2018	

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2019-20/140

RLY	C	R	-	Coach No.	1	9	3	5	3	2	/	C	DATE OF DISPATCH	0	7	-	0	5	-	1	9

DISPATCH TO	SSE/STOCK/ CSTM	Type	L	W	A	C	C	W	Shell No.	9	2	0	0	2	FUR.NO.	L2T-289

12. MODIFICATION (IF ANY) : NIL

13. DEVIATION (IF ANY) : NIL

14. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL

15. WARRANTY:

S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. (items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30 months from the date of supply of material whichever is earlier.

NOTE:

1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
5. For any complain/ suggestion please Mail at qualityrcfrbl@gmail.com
6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from date of Application for any manufacturing /Application as per clause -4,para- V of RDSO specification no .M&C/PCN/100/2013-Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate)Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty –period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

वरि0उप0 अभियंता गुणवत्ता विभाग रे0डि0का0, रायबरेली (नालगंज) SSE/QC/MCF/RBL	वरिष्ठ यांत्रिक अभियन्ता/गुणवत्ता Senior Mechanical Engineer/Quality आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory Raebareli SME/QC/MCF/RBL	उप मुख्य धातुविद Dy. Chief Chemist & Metallurgist आधुनिक रेल डिब्बा कारखाना, रायबरेली Modern Coach Factory, Raebareli Dy.CQM/MCF/RBL

MCF/RBL

2T- 289

Modern Coach Factory Raebareli आधुनिक रेल डिब्बा कारख़ाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001 REV NO: 00 DATE:18.01.2017

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB/EOG AC COACHES			
TYPE COACH	**LWACCW**	**SHELL/COACH NO**	**193532/C**
RAILWAY	**CR**	**DATE OF DESPATCH**	

Sr no	Description of tests		Remarks
1.0	REFERENCE SPECIFICATION : L 446		
1.1	AIR CONDITIONING TEST : ELPS/TP/AC 01.		
1.2	CODE OF PREACTICE OF WIRING : ELPS/SPEC/EOG/AC-01		
2.0	INSULATION RESISTANCE : Setting of insulation monitoring relay at 30K ohms as per TD 111 of M/s LHB.		
	Observed status : HEALTHY		
3.0	AIR DELIVERY MEASUREMENT	OBSERVED VALUE	OK
3.1	Fresh Air	**20.20** Cub mtr/min	OK
3.2	Return Air	**62.25** Cub mtr/min	OK
3.3	Exhaust Air	**6.86** Cub mtr/min	OK
3.4	Conditioned Air	**209.25** Cub mtr/min	OK
4.0	**PRE COOLING TEST: Max 01 hr.** Time taken to pre cool from 45 deg centigrade to 24/22 deg C during OFF LOAD condition. PP Side :**21.5 ^{0}C** NPP Side :**22.3 ^{0}C**		OK
5.0	**PULL DOWN TEST: Max 02 hrs.** Time taken to pull down from 45 deg C to 24/22 deg C during FULL LOAD condition. Not done		OK

17/5/19

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

ELECTRICAL TEST CERTIFICATE FOR LHB EOG AC COACHES		
Sr no	**Description of test**	**Remarks**
6.0	HUMIDITY CONTROL	OK
7.0	PUMP EQUIPMENTS	OK
8.0	WORKING OF EXHAUST FANS OVER LAVATORIES	OK
9.0	WORKING OF COMPOSITE PANTRY	OK
10.0	BERTH READING LIGHTS	OK
11.0	COMPARTMENT LIGHT	OK
12.0	PUBLIC ADDRESSING SYSTEM **(PAS)**	OK
13.0	WHEEL SLIDE PROTECTION SYSTEM **(WSP)**	OK
14.0	WORKING OF 60KVA TRANSFORMER	OK
15.0	WORKING OF REGULATED BATTERY CHARGER	OK
16.0	WORKING OF EMERGENCY BATTERY CHARGER	OK
17.0	SAFETIES :	
17.1	THERMOSTAT :	OK
17.2	ROTARY 07 SET POINTS (NORMAL CONDITION)	OK
17.3	MID SET POINTS (SENSORS FAILED CONDITIONS)	OK
17.4	HYGROSTAT	OK
17.5	CONTROL CIRCUIT	OK
17.6	POWER CIRCUIT	OK
18.0	REFRIGERANT USED **R 407C**	OK

17/5/19

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

Sr no	Description	Drg/Spec no.	Quantity per Coach
01.	Roof Mounted AC package unit for LHB AC coaches Make :**AMIT ENGG.** Sr no of RMPU 1(NPP side):**3383 C** Sr no of RMPU 2(PP side): **3382C** Sr no of Microprocessor: **AE 19.01.169**	As per rdso/pe/spes/ac/0061/rev-1/2005	**02**
02.	Switch board cabinet Make :**TROLEX** Sr no :**181159**	As per spec no .EDTS073,REV-D,AM-6	**01**
03.	Pump equipment with PLC controller& pump box Make: **DR AUTO** Sr no PA:**2019/02/137** Sr no.1:**19010859** Sr no.2:**19010913** Srno.CPA:**2019/02/024-DR AUTO**	As per spec EDTS 186,Rev-a, Am- 2	**01**
04.	Double inlet centrifugal blower 415V/03Ph /50Hz /120W/450 cummtr/hr discharge for exhausting air from lavatory & switch board cabinet Make :**INTEG**	EDTS331, TYPE-1 CORR.-1&2	**02**
05.	Passenger area Light(Cabin) Make:**RT VISION**	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-L	**09**
06.	Corridor Light with Night light Make:**RT VISION**	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-M	**09**
07.	Doorway/Gangway light, Make:**DR AUTO**	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-N	**06**
08.	Emergency light system for EOG type coaches (AEL)Make:**VGS**	EDTS 151,Rev –c Am-1 & 2	**04**
09.	Lavatory light fitting assly Make:**K.LITE**	LW 76001,Alt nil	**04**
10.	Toilet indication (WC) light, Make:**AGASTYA**	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-H1	**04**

17/5/19

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

Sr no	Description	Drg/Spec no.	Quantity per Coach
11.	Reading light for longitudinal berth (LHS) Make:**DR AUTO**	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F1	**9**
12.	Reading light for upper berth Make:**DR AUTO**	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F2	**26**
13.	Reading light for transverse berth (RHS) Make:**DR AUTO**	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F3	**8**
14.	Reading light for berth transverse (LHS) Make:**RT VISION**	As per RDSO/PE/SPEC/TL/0091-2016,REV-01, TYPE-F4	**9**
15.	Passenger alarm coach indication light Make:**DR AUTO**	LW 76005,Alt-e	**02**
16.	Razor socket for WC 110/240V. Make:**SSK**	EDML 047 ,Rev nil	**04**
17.	Terminal strip Make:**WAGO**	EDML 033,Rev-c	**01**
18.	Terminal connector Make:**WAGO**	EDML 037,Rev`a'	**04**
19.	Single switch 06A/250V/AC ONE WAY ,complete with steel plate & cover frame Make:**SSK**	EDML 047,Rev_C, Item 1.	**09**
20.	Single switch 06A/250V/AC ONE WAY complete with steel plate & cover frame Make:**SSK**	EDML 047,Rev_A ,Item 2.	**09**
21.	Switch socket combined 5PIN (06A, 250V AC) along with 1A glass fuse fitted powder coated steel plate & cover frame Make:**SSK**	EDML 0,64,Rev-B, Item -16.	**09**
22.	PA system for LHB coaches Make :**AHUJA**	EDTS 173 Rev- a Am-1,2&3	**01 set**

17/5/19

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli

ROLLING STOCK CERTIFICATE OF LHB/EOG 2T AC COACHES

Sr no	Description	Drg/Spec no.	Quantity per Coach
23.	70AH/110V,54 Cells,02V each ,maintenance free pure lead acid tin monoblock ,battery set with 09 modules 12V each. , factory pre charged. Make : **AMARA RAJA** Lug date :**09/18**	EDTS 129,Rev nil	**01 set**
24.	Battery box for LHB coaches. Make:**NIL**	As per drgno 1 10113 0 76 700 005,Alt C	**01**
25.	Battery fuse box +ve Make :**AECO**	LW 71001,Alt-F	**01**
26.	Battery fuse box –ve Make :**INTEG**	LW 71002,Alt-F	**01**
27.	Emergency battery charger Make :**BHASIN**Sr no:**09181377** Make : **BHASIN**Sr no:**01196149**	EDTS 163,Rev `c' corg.-2&3	**02**
28.	5KVA Transformer Make:**VIMAL** SL.no :**VTC-3089 LHB-978**	As Per EDTS-366,REV-NIL & CC-71510	**01**
29.	Capacitor Bank Make: **KONTACT** SL.no :**KT-618**	As per EDML-130 Rev-1,Corr-1	**01**
30.	60KVA transformer Make :**VIMAL** Sr no :**VTC 3089 LHB-4535**	As per rdso/pe/spec/ac/0080/rev-0 (2007)/Am-1&2/Corr. 1,2&3	**01**
31.	ZS coupling 400A/750V/03Ph/50hz. Make :**MAA LAXMI INDUSTRIES**	As per spec No EDTS 105,Rev`e' Am-2	**02 sets**
32.	Feeder junction boxes. Make :**NEC**	EDTS-328 REV-C	**02**
33.	Wheel set earthling equipment. Make :**DARSHAN INTERPRISES**	EDTS101,REV-C,AM-1	**02**
34.	Wheel Slide Protection System (WSP) Make: **FAIVELEY**Sr no :**50/18/2098**	M/s : **FAIVELEY**	**01 set**
35.	PANTRY EQUIPMENTS : Hot Case, Bottle cooler cum deep freezer Make :**SUPER REFRIGERATION**	As per spec no EDTS 139, Rev- E ,Sec II.	**01**

17/5/19	
SSE/EL/QC वरिष्ठ अनुभाग अभियन्ता गुणवत्ता नियंत्रण आरडीएसओ / लालगंज / रायबरेली S.S.E./Elect-QC/M.C.F./LLJ/RBL	**SEE(P)/MCF/RBL/** **DYCEE/P&P/MCF/RBL** वरिष्ठ विद्युत अभियन्ता रेल कोच फैक्टरी, रायबरेली, लखनऊ Sr. Electrical Engineer / RCF / RBL / Lucknow

MCF/RBL