

		Modern Coach Factory Raebareli				DOC NO.: MCF/RBL/QMF 8002	
		आधुनिक रेल डिब्बा कारखाना, रायबरेली				REV NO: 01	
						DATE: 17.04.2018	
ROLLING STOCK CERTIFICATE							
Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/364							
RLY	NFR	COACH NO	204594/C			DATE OF DISPATCH	26-Aug-20
Type	LWSCN1	Shell No.	20G086	DISPATCH TO	SSE/C&W/KIR	FUR.NO.	LSCN-1653
1. Railway Board's Order No. : 2020/M(C)/142/2, Dated-01.05.2020							
2. Tare Weight of Coach : 41.24 Tonnes							
3. Carrying Capacity : (a) Seating: 80 (b) Sleeping: 80 (c) Luggage: NIL							
4. Special feature:							
A Choke of 5/6 mm in DV side replace with 9 mm in both type (KBI & Faiv.) letter no. MC/LHB/Brake, DT. 27.09.18							
5. SHELL LEADING DIMENSIONS:							
S NO	DESCRIPTION					DIMENSION (MM)	
1	Maximum length over body					23700	
2	Maximum width over body					3240	
3	Maximum height from Rail Level					4039	
4	CBC height/Buffer height from Rail level 1105 +0/-10					NPP / PP	1098/1105
6. TRACEABILITY OF SHELL ITEMS:							
S NO	ITEM	MAKE/SUPPLIER	SERIAL NO				
1	Under frame	PP END	M/S-AMIT ENGG.	117			
		NPP END	M/S-AMIT ENGG.	117			
		Complete	MCFRBL-TECHIE	20G086			
2	Lav. side wall	M/S-ATHANCY ALD	LAV.1		LAV.2		
		M/S-ATHANCY ALD	LAV.4		LAV.3		
3	Side wall	LH SIDE	MCFRBL(AAA/RBL)	26			
		RH SIDE	MCFRBL(AAA/RBL)	26			
4	End wall	PP END	M/S-JVR LDH				
		NPP END	M/S-JVR LDH				
5	Roof	MCFRBL-CONT.	14				
6	Centre Buffer Coupler	M/S-FRONTIER	PP	93P1	NPP	18P1	
7. AIR BRAKE TEST REPORT:							
S NO	ITEM	DESCRIPTION	SPEC. VALUE	OBSERVED			
1	Full brake application	Reduce pressure of BP from 5.0 to 3.4 kg/cm ² .	6 – 10 sec.	8 sec			
		Max. pressure in BC	3.0 ±0.15 kg/cm ² .	3.0 kg/cm ²			
		All Brake are applied	OK	OK			
2	Insensitivity	Exhaust BP @ 0.3 kg/cm ² /min.	No brake application	OK			
3	Sensitivity	Exhaust BP @ 0.1 kg/cm ² /Sec, after 06 Sec.	Brake must apply	OK			
8. PAINTING DETAILS:							
S NO	DESCRIPTION	TYPE	MAKE	APPLICATION BY MCF/ CONTRACTOR	AVERAGE	DATE OF	
		OF PAINT		(SUPPLY & APPLY)	GLOSS VALUE	COMPLETION	
1	Paint	P.U	VIBGYOR	M/S-VIBGYOR (S&A)	91/88	31-Jul-20	
2	Insulation	Satisfactory					

SSE/QC/MCF/RBL

वरिष्ठ अनुष्ठानिक अभियंता
गुणवत्ता विभाग
रेलवे कारखाना, रायबरेली (लालगंज)



MCF/RBL



MODERN COACH FACTORY, RAEBARELI

आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002

REV NO.: 01

DATE: 16.05.2016

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/364

RLY	N	F	R	Coach No.	2	0	4	5	9	4	/	C	-	DATE OF DISPATCH	2	6	0	8	2	0	2	0
-----	---	---	---	-----------	---	---	---	---	---	---	---	---	---	------------------	---	---	---	---	---	---	---	---

DISPATCH	SSE/C&W/KIR	Type	L	W	S	C	N	1	Shell No.	2	0	G	0	8	6	FUR.NO	LSCN - 1653
----------	-------------	------	---	---	---	---	---	---	-----------	---	---	---	---	---	---	--------	-------------

9. DETAIL OF BOGIES:

ITEMS	NPP Side				PP Side			
Bogie No	200559				200560			
Bogie Type	FIAT				FIAT			
Frame no.	RBL-2084				RBL-2046			
Bolster no.	RBL-2248				RBL-1358			
Axle No	20 Y- 6297 RWF	20 Y- 6356 RWF		20 Y- 3987 RWF	20 Y- 6364 RWF			
Wheel Dia	917.42	917.512	917.48	917.536	917.435	917.516	917.437	917.493
Wheel Disc No	TZ 11-19 84942-9VC7	TZ 11-19 84944-9WJ9	TZ 11-19 83698-9WFF4	TZ 12-19 94308-9WM1	TZ 12-19 89708-9WJ6	TZ 12-19 96488-9XG8	TZ 12-19 90203-9WL9	TZ 12-19 90205-9WL9
R.B. Nos.	11-19 43243	11-19 32386	11-19 42990	11-19 42036	12-19 45371	12-19 38311	12-19 38232	12-19 38636
CT R B Make	TIMKEN		TIMKEN		TIMKEN		TIMKEN	

10. SECONDARY SUSPENSION LOAD DEFLECTION VALUES :-

DESCRIPTION	Bogie NPP side		Bogie PP side	
	Secondary 1	Secondary 2	Secondary 1	Secondary 2
Make & Nos.	RESISTOFLEX Sr. NO- 2020 12887	RESISTOFLEX Sr. NO- 2002 13764	RESISTOFLEX Sr. NO- 2020 13684	RESISTOFLEX Sr. NO- 2020 13637

11. TRACEABILITY OF BOGIE ITEMS :-

S. NO	ITEM	MAKE/ SUPPLIER	SERIAL NO.	
			NPP SIDE	PP SIDE
1.	Yaw Damper	IAI	294927,301400	294628,293815
2.	Primary outer Spring	CMAFJ	02-20 1100-(331,334,333,336)	02-20 1100-(399,404,381,405)
3.	Primary Inner Spring	CMAFJ	01-20 1101-(103,86,90,84)	01-20 1101-(103,305,341,407)
4.	Primary Damper	IAI	01-20 (299424,300408,298833,300277)	01-20 (298764,300808,299893,299595)
5.	Secondary Damper	IAI	01-20 (296100,296210)	01-20 (296281,296469)
6.	Lateral Damper	IAI	09-19 274678	04-19 274678
7.	Brake Cylinder	KNORR	C (3365,2037,2033,3358)-K-29	C (3887,2005,2087,3385)-K-29
8.	Brake Caliper	KNORR	C-(9705,9803,9802,9706)-29	C-(9680,9782,9781,9681)-29
9.	Brake Disc	KBI	24226787 0064-26/20,24226787 0063-26/20 24226784 0038-25/20,24226784 0039-25/20	24226787 0062-27/20,24226784 0037-25/30 24226786 0079-26/20,24226786 0066-26/20
10.	Ball Joint Control Arm	GMT		
11.	Lateral Bump Stop	GMT		
12.	Traction Centre make	(SF)SARITA		
13.	Traction lever make	JJ		
14.	Ball joint traction lever	GMT		
15.	Ball joint traction centre	GMT		
16.	Leveling Valve	KNORR	09-20 C-3778,09-20 C 3992	09-20 C-3902,09-20 C 3903
17.	Check Valve	KNORR	01-20 23939	01-20 23865
18.	Anti roll bar Make	EMSON		
19.	Roll Link make	SARITA/GMT		
20.	Fork make	RNG		
21.	Control Arm Upper	RVE	080120-1,080120-1,120120-2,080125-5	130120-1,070120-3,080120-1,210120-3
22.	Control Arm Lower	RVE	080120-1,080120-1,080120-1,080120-3	080120-3,090120-3,080120-1,090120-2
23.	Phonic Wheel	KBI	K 06-20	K 06-20

Signature of SSE/Bogie/QC





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/364

RLY	NFR	COACH NO	204594/C	DATE OF DISPATCH	26-Aug-20
Type	LWSCN1	Shell No.	20G086	DISPATCH TO	SSE/C&W/KIR
				FUR.NO.	LSCN-1653

12. TRACEABILITY OF FURNISHING ITEMS:

S NO	ITEM	MAKE/SUPPLIER	SERIAL NO(NPP/PP)
1	Air Brake Module	M/s-KBI	4703 02/20
2	Distribution valve	M/s-KBI	2019M10108
3	Pull box	M/s-KBI	
4	FIBA	M/s-KBI	9405/29,9425/29
5	Foot Step	M/S- SUPER SPARK LTD FARIDABAD	
6	Decoupling arrangement	M/S- ELASTOMER MUMBAI	
7	Floor board	M/S-HF VADODARA	
8	PVC	M/S-HF VADODARA	
9	Lavatory inlay	M/S-SEEMA BHOPAL	
10	UIC Vestibule (PPE)	M/S-SUNCREAST KOLKATA	
11	UIC Vestibule (NPPE)	M/S-SUNCREAST KOLKATA	
12	Gangway bridge mounting (PPE)	M/s- MAHAVEER METAL WORKS, KXH	
13	Gangway bridge mounting (NPPE)	M/s- MAHAVEER METAL WORKS, KXH	
14	Body Side Window	M/S-HF VADODARA	
15	Emergency Window	M/S-HF VADODARA	
16	Lavatory/hopper Window	M/S-HF VADODARA	
17	Side panel	M/S-HF VADODARA	
18	Roof Ceiling	M/S-HF VADODARA	
19	Door way Ceiling	M/S-HF VADODARA	
20	Body Side Doors	M/s- SVARN INFRATEL	
21	Vestibule Door(PPE)	M/s- KALSI LDH	
22	Vestibule Door(NPPE)	M/s- KALSI LDH	
23	Bio Tank	M/s-JSL LIFE STYLE	
24	Presurized Flushing(Elect.pneumatic)	M/S-AIR FLOW	
25	Auxiliary Water Tank	M/s- OASIS	
26	Under Slung Water Tank (2X685L)	M/s- SHIVALIK FAST MOHALI	
27	Under Slung Water Tank (1x685 L)	M/s- AMIT ENG.MOHALI	
28	Health Faucet	M/s- KAPCO VALVES JUC	
29	Lotah Filler Tap	M/s- KAPCO VALVES JUC	
30	Controlled discharge tap	M/s-AGMECO PVT LTD	
31	Lavatory Doors	M/S-HF VADODARA	
32	Seat & Berth	M/S-OVPL SILICON MUMBAI(SLIDING)	
33	Ventury grill	NIL	
34	RFID	NIL	


SSE/QC/MCF/RBL

वरि०अनु० अभियंता
गुणवत्ता विभाग
रे०डि०ब०, रायबरेली (लालगंज)



MCF/RBL



Modern Coach Factory Raebareilly
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QMF 8002
REV NO: 01
DATE: 17.04.2018

ROLLING STOCK CERTIFICATE

Rolling Stock Certificate No.: MCF/RBL/QC/RSC/2020-21/364

RLY	NFR	COACH NO	204594/C	DATE OF DISPATCH	26-Aug-20
Type	LWSCN1	Shell No.	20G086	DISPATCH TO	SSE/C&W/KIR
				FUR.NO.	LSCN-1653

13. MODIFICATION (IF ANY) : NIL

14. DEVIATION (IF ANY) : NIL

15. ITEM FITTED ON THE COACH ON TRIAL : NIL

S NO	ITEM PARTICULARS	PURPOSE	REPORT Frequency	REFERENCE & PERIOD OF TRIAL

16. WARRANTY:

S NO	COMPONENTS	WARRANTY
1	Brake Pad, wheels, flushing valves, push gravity cocks, moldings, window glasses, mirrors, curtain clutch wire etc. (items which are consumable in nature)	NIL
2	Other coach furnishing sub assemblies(bought out items)	24 months from the date of dispatch of coach OR 30months from the date of supply of material whichever is earlier.

NOTE:

1. This warranty covers free supply of parts which wear out and fails within warranty period of normal service.
2. This doesn't covers faults arising out of accident, non standard maintenance practices, abnormal use or mishandling, vandal activity, arson & deficient/pilferage etc.
3. This doesn't cover any consequential liabilities or damages/loss incurred by anybody; furthermore, it shall in no case extend to repayment, return of the coach or replacement of complete coach.
4. Whether a defective part is to be replaced or repaired shall be at the discretion of MCF/RBL.
5. For any complain/ suggestion please Mail at qualityrcfrbl@gmail.com
6. Painting on supply & apply contract :- supply of material and application shall be warranted for a period of three years from Application for any manufacturing /Application as per clause -4, para- V of RDSO specification no .M&C/PCN/100/2013- Given below

S.No	Time period	Gloss Retention (initial gloss >85 unit at 60°)	Colour Retention rating on 0-10 scale (initial rating of painted panels/coach or ISC/RAL shade card shall be taken as 10)	Adherence of paints (with each other and with substrate) Cross-cut tape adhesion test as per ASTM D:3359/97(or latest)
1	After 1 year	80% of initial gloss	7	5B
2	After 2 year	70% of initial gloss	6	5B
3	After 3 year	60% of initial gloss	5	4B

If any imperfection is noticed or any defect arises during the warranty -period due to improper material used or due to bad workmanship, the contractor shall be bounded to set right the defect/ imperfection on free of cost basis at the base depot of the coach.

SSE/QC/MCF/RBL	SME/AME/QC/MCF/RBL	Dy. QC/MCF/RBL

वरि०अनु० अभियंता
गुणवत्ता विभाग
रे०डि०का०, रायबरेली (लालगंज)

आधुनिक रेल डिब्बा कारखाना, रायबरेली
Modern Coach Factory, Raebareilly

Modern Coach Factory, Raebareilly



MCF/RBL



Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020


PAGE 1 OF 4

FOR ELECTRICAL ITEMS

ROLLING STOCK CERTIFICATE OF LHB EOG NON AC COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC COACH.

ELECTRICAL TEST CERTIFICATE FOR LHB EOG NON AC COACH.						
TYPE COACH		LWSCN		SHELL/COACH NO		204594/C
RAILWAY		NFR	ELECT. FIT DATE	24-08-2020	MCF FUR. NO.	SCN-1653
Sr. no.	Description of tests					Remarks
1.	PUMP EQUIPMENTS					OK
2.	LIGHTS, NL,LAP CHARGING SOCKETS					OK
3.	WORKING OF ACCIDENTAL, EMERGENCY LIGHTS.					OK
4.	RAILWAY CARRIAGE FAN					OK
5.	WHEEL SLIDE PROTECTION SYSTEM (WSP)					OK
6.	WORKING OF 9 KVA TRANSFORMER					OK
7.	WORKING OF REGULATED BATTERY CHARGER/EMERGENCY BATTERY CHARGER.					OK
8.	SAFETY :					--
8.1.	FUSES AND THEIR RATING					OK
8.2.	CONTROL CIRCUIT					OK
8.3.	POWER CIRCUIT					OK


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli



आधुनिक रेल डिब्बा कारखाना / रायबरेली



	Modern Coach Factory Raebareli आधुनिक रेल डिब्बा कारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 2 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
01.	Fitment of Switch board cabinet.(set of panel) Make/Sr.no.: SSK On Board: 2019/06/055 HT Panel: 2019/06/054	EDTS 355, Rev'01'.Am-3	01 SET
02.	Provision of 9 KVA 750/415/190V, 03Ø AC. Make: PANTRONICS Sr no.: PAN 20018703	RDSO/PE/SPEC/TL 0158, 2010, Rev'0'.Ty I.	01
03.	Mounting of 09KVA TFR.	As per drg no 1.10113.0.76.300.001,Alt -B.	OK
04.	Provision of Pump equipment with pump box. Make: KIND Sr no : 0076 Pump 1: 20070237 Pump 2: 20070238	As per spec no. EDTS186,REV-A,AM-2	01 SET
05.	Provision & Mounting of Pump controller. Make: KIND SL.no.: 20070163	As per Spec. EDTS186 Rev-a Am-2, & drg no. CC71328 & LW70020	01
06.	4.5 Kw Under slung type Constant Voltage Regulated Battery charger cum Emergency battery charger Make: WAVES Sr. no.: W4K5G 201853	As per spec no. RDSO/PE/SPEC/AC/0183-2015(REV.- 1)	01
07.	Provision of Feeder Junction Box Make : RSI	EDTS-328 REV-C,AM-4,Type- II,COR-2	01 SET
08.	Provision of IVC dummy Socket assembly.	As per Drg. No. LW71302,Alt-nil	01 SET
09.	Battery fuse box +ve Make : RICHMOND	As per LW 71001,Alt- H	01
10.	Battery fuse box -ve Make : RICHMOND	As per LW 71002,Alt-I	01
11.	Provision of Battery boxes/ Cradles. Make: HITECH	As per Drg. No. 110113.0.76.700.005 W/O item 5,22,23,26 & 27,Alt-C or Latest.	01
12.	Provision of batteries Type: 110 V, 120 AH VRLA SMF Battery Set. Make: HBL Lug Date: 06/19	As per RDSO/PE/SPEC/AC/0009-2014 (Rev-2) with inner cell connectors or Latest.	01 SET

Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





Modern Coach Factory Raebareli
आधुनिक रेल डिब्बा कारखाना, रायबरेली

DOC NO.: MCF/RBL/QEF/8001

REV NO: 01

DATE: 29.06.2020

PAGE 3 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
13.	Fitment of Railway carriage Fan 400mm Sweep, 110V AC with crash worthy features. Make: CG POWER	As per Drg. No. ICF/SK-7-6-158,alt-g. RDSO/PE/SPEC/TL/0021-2005 (Rev-3) with RCF annex-1,am-1.	30
14.	Fitment of LED Light fittings for Cabin, Doorway and Gangway area. 9 watt. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1 .Type-B1. Drg. No. CC76453.	26
15.	Fitment of LED Light fittings for Night Light with berth indication Type-E (1 watt). Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1, ICF/STB-7-6-053.Type- E. Drg. No. CC76461	10
16.	Fitment of LED Light fittings for Lavatory Lights. 9 Watt. Make: RT VISION	As per RDSO/PE/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-D. Drg. No. LW76092.	04
17.	Fitment of LED Light fittings for PACIL. Make: KAVERI	As per RDSO/SPEC/TL/0091-2016,Rev-1 with RCF Annex-1Type-I. Drg. No. LW76098.	02
18.	Fitment of Accidental Emergency Light (AEL) Make: INTEG	As per RDSO/SPEC/AC/0180-2016,Rev-0 ,Type-II.	04
19.	Provision of Cable binder	Drg. No. CC76120,Item - 1,2,3.100mm,200mm,300mm respectively.	OK
20.	Provision of Cable Jacket System.	EDTS-138,Cor-2,Item-5,7,8,9,11.	OK


Senior Section Engineer
Quality control / Electrical
Modern Coach Factory Raebareli





	Modern Coach Factory Raebareli आधुनिक रेल डिब्बा कारखाना, रायबरेली	DOC NO.: MCF/RBL/QEF/8001
		REV NO: 01
		DATE: 29.06.2020

PAGE 4 OF 4

ROLLING STOCK CERTIFICATE OF LHB/EOG NONAC SCN COACHES

Sr. no.	Description	Drg./Spec no.	Quantity per Coach
21.	Provision of Switch plate assembly along with mobile charging sockets. Make: SALZER	EDML-086, Rev-6, Am-1, Table-1, Item-1.	10
22.	Provision of Switch plate assembly along with mobile charging sockets. Make: SALZER	EDML-086, Rev-6, Am-1, Table-1, Item-2.	10
23.	Provision of Switch plate assembly along with mobile charging sockets. Make: SALZER	EDML-086, Rev-5, Am-1, Table-1, Item-3.	20
24.	Provision of High Capacity Inter – Vehicular Coupler Unit (ZS Coupling) (500 A, 750 V, 3 ph, 50 Hz). Make: 1.(NPP): PRIME ELECT. 2.(PP): PRIME ELECT.	As per Spec. no. RDSO/PE/SPEC/AC/0177(Rev.-0)-2013 with annexure-A, B.	01 SET
25.	Mounting of Inter Vehicle coupler	As per drg no.1.10113.0.74.000.001,Alt-B	OK
26.	Provision of Wheel Set Earthing equipment. Make:- NPP: DARSHAN ENTERPRISES PP: DARSHAN ENTERPRISES	EDTS101,REV-C,AM-1	01 SET
27.	Provision of Anti Skid Disk Brake System.(WSP) Make : KNORR Sr no : 0120104481	As per MDTs 077,Rev.-2 M/s"FAIVELEY" or "Knorr Bremse", or "ESCORTS"	01 SET

SSE/EL/QC वरिष्ठ अनुभाग अभियन्ता गुणवत्ता नियंत्रण आ०रे०डि०का० / लालगंज / रायबरेली S.S.E./Elect-QC/M.C.F./LLJ/RBL	AWM(ELECT.)/MCF/RBL SEE(P)/MCF/RBL

आ०रे०डि०का० / लालगंज / रायबरेली
S.S.E./Elect-QC/M.C.F./LLJ/RBL

स० कार्य प्रबन्धक / विद्युत
आ०रे०डि०का० / रायबरेली
A.W.M./Electrical/MCF/RBL

